


CONTENT

Installation file download 2
Installation 3




IMPORTANT NOTICE

**Keep the smart card in the reader during the active work in the application.
After finishing your work remove the card from the reader and store it in a safe
place!**

INSTALLATION FILE DOWNLOAD

1. Go to <https://www.kb.cz/en/support/banking-and-tools/how-can-i-get-and-install-a-reader>. If the security warning is displayed, click **Allow** or **Yes**.
2. Find the matching smart card reader in the list, then click **Download**.
3. In the opening pop-up window click **Save** or **Save File**. File is usually automatically downloaded to folder C:\Users\“PC username”\Downloads\



The screenshot illustrates the installation process with three numbered steps:

- Step 1:** A "Security Warning" dialog box is shown with the "Allow" button highlighted. A second dialog box asks "Did you mean to switch apps?" with "Reader" trying to open "Google Chrome", and the "Yes" button is highlighted.
- Step 2:** A list of smart card readers is displayed. The "Gemalto ID Bridge CT710" is selected, and its "DOWNLOAD" button is highlighted. Below it, the "Gemplus GempCTwin" is also shown with its "DOWNLOAD" button highlighted.
- Step 3:** An "Opening KBinst2.1.6.14472_IDBridgeCT710.exe" dialog box is shown with the "Save File" button highlighted. A second dialog box asks "Do you want to run or save KBinst2.1.6.14472_IDBridgeCT710.exe from mojobanka.cz?" with the "Save" button highlighted.

INSTALLATION

1. Close the internet browser, then run downloaded file **KBinst2.1.6.14472...exe**. In the first step of the Installation wizard click **Continue**.
2. Administrator rights are required. In the operating systems Windows Vista and higher where the UAC (User Account Control) tool is activated you need to give the additional permission by "Yes" button.
3.
 - a. Enter PIN and click **Login**.
 - b. If the reader has its own pinpad enter PIN code on reader's keyboard and confirm with the green button OK.
4. Confirm the final message with **OK**.
5. To end the installation wizard click **Close**.

